

Name: _____ Unit# _____ Date _____

IBPH Sexual Function Assessment:

If you are **not** sexually active and do **not** desire evaluation, please check here only and stop

If you are sexually active but do not desire evaluation, please check here only and stop

IIEF Questionnaire Assessment

If you are sexually active and/or desire evaluation, please continue with the questions below (Circle one answer for each question)

1. Over the past 4 weeks, how often were you able to get an erection during sexual activity?

- 0 No sexual activity
- 1 Almost always or always
- 2 Most times (much more than half the time)
- 3 Sometimes (about half the time)
- 4 A few times (much less than half the time)
- 5 Almost never or never

2. Over the past 4 weeks, when you had erections with sexual stimulation, how often were your erections hard enough for penetration?

- 0 No sexual stimulation
- 1 Almost always or always
- 2 Most times (much more than half the time)
- 3 Sometimes (about half the time)
- 4 A few times (much less than half the time)
- 5 Almost never or never

Questions 3, 4 and 5 will ask about erections you may have had during sexual intercourse.

3. Over the past 4 weeks, when you attempted sexual intercourse, how often were you able to penetrate (enter) your partner?

- 0 Did not attempt intercourse
- 1 Almost always or always
- 2 Most times (much more than half the time)
- 3 Sometimes (about half the time)
- 4 A few times (much less than half the time)
- 5 Almost never or never

Name: _____ Unit# _____ Date _____

4. Over the past 4 weeks, during sexual intercourse, how often were you able to maintain your erection after you had penetrated (entered) your partner?

- 0 Did not attempt intercourse
- 1 Almost always or always
- 2 Most times (much more than half the time)
- 3 Sometimes (about half the time)
- 4 A few times (much less than half the time)
- 5 Almost never or never

5. Over the past 4 weeks, during sexual intercourse, how difficult was it to maintain your erection to completion of intercourse?

- 1 Did not attempt intercourse
- 2 Almost always or always
- 3 Most times (much more than half the time)
- 4 Sometimes (about half the time) 0 A few times (much less than half the time)
- 5 Almost never or never

6. Over the past 4 weeks, how many times have you attempted sexual intercourse?

- 0 No attempts
- 1 1-2 attempts
- 2 3-4 attempts
- 3 5-6 attempts
- 4 7-10 attempts
- 5 11 or more attempts

7. Over the past 4 weeks, when you attempted sexual intercourse how often was it satisfactory for you?

- 0 Did not attempt intercourse
- 1 Almost always or always
- 2 Most times (much more than half the time)
- 3 Sometimes (about half the time)
- 4 A few times (much less than half the time)
- 5 Almost never or never

Name: _____ Unit# _____ Date _____

8. Over the past 4 weeks, how much have you enjoyed sexual intercourse?

- 0 No intercourse
- 1 Very highly enjoyable
- 2 Highly enjoyable
- 3 Fairly enjoyable
- 4 Not very enjoyable
- 5 Not enjoyable

9. Over the past 4 weeks, when you had sexual stimulation or intercourse how often did you ejaculate?

- 0 Did not attempt intercourse
- 1 Almost always or always
- 2 Most times (more than half the time)
- 3 Sometimes (about half the time)
- 4 A few times (much less than half the time)
- 5 Almost never or never

10. Over the past 4 weeks, when you had sexual stimulation or intercourse how often did you have the feeling of orgasm or climax (with or without ejaculation)?

- 0 No sexual stimulation or intercourse
- 1 Almost always or always
- 2 Most times (much more than half the time)
- 3 Sometimes (about half the time)
- 4 A few times (much less than half the time)
- 5 Almost never or never

Questions 11 and 12 ask about sexual desire. Let's define sexual desire as a feeling that may include wanting to have a sexual experience (for example, masturbation or intercourse), thinking about having sex or feeling frustrated due to a lack of sex.

11. Over the past 4 weeks, how often have you felt sexual desire?

- 1 Almost always or always
- 2 Most times (much more than half the time)
- 3 Sometimes (about half the time)
- 4 A few times (much less than half the time)
- 5 Almost never or never

Name: _____ Unit# _____ Date _____

12. Over the past 4 weeks, how would you rate your level of sexual desire?

- 1 Very high
- 2 High
- 3 Moderate
- 4 Low
- 5 Very low or none at all

13. Over the past 4 weeks, how satisfied have you been with you overall sex life?

- 1 Very satisfied
- 2 Moderately satisfied
- 3 About equally satisfied and dissatisfied
- 4 Moderately dissatisfied
- 5 Very dissatisfied

14. Over the past 4 weeks, how satisfied have you been with your sexual relationship with your partner?

- 1 Very satisfied
- 2 Moderately satisfied
- 3 About equally satisfied and dissatisfied
- 4 Moderately dissatisfied
- 5 Very dissatisfied

15. Over the past 4 weeks, how do you rate your confidence that you can get and keep your erection?

- 1 Very high
- 2 High
- 3 Moderate
- 4 Low
- 5 Very low

Name: _____ Unit# _____ Date _____

Domain	Questions #	Total score
Erectile Function	1, 2, 3, 4, 5, 15	_____
Orgasmic Function	9, 10	_____
Sexual Desire	11, 12	_____
Intercourse Satisfaction	6, 7, 8	_____
Overall Satisfaction	13, 14	_____

Clinical Interpretation

I. Erectile function total scores can be interpreted as follows:

Score	Interpretation
0-6	Severe dysfunction
7-12	Moderate dysfunction
13-18	Mild to moderate dysfunction
19-24	Mild dysfunction
25-30	No dysfunction

II. Orgasmic function total scores can be interpreted as follows:

Score	Interpretation
0-2	Severe dysfunction
3-4	Moderate dysfunction
5-6	Mild to moderate dysfunction
7-8	Mild dysfunction
9-10	No dysfunction

III. Sexual desire total scores can be interpreted as follows:

Score	Interpretation
0-2	Severe dysfunction
3-4	Moderate dysfunction
5-6	Mild to moderate dysfunction
7-8	Mild dysfunction
9-10	No dysfunction

IV. Intercourse satisfaction total scores can be interpreted as follows:

Score	Interpretation
0-3	Severe dysfunction
4-6	Moderate dysfunction
7-9	Mild to moderate dysfunction
10-12	Mild dysfunction
13-15	No dysfunction

V. Overall satisfaction total scores can be interpreted as follows:

Score	Interpretation
0-2	Severe dysfunction
3-4	Moderate dysfunction
5-6	Mild to moderate dysfunction
7-8	Mild dysfunction
9-10	No dysfunction